

# Damixa Silhouet, 1-handle kitchen and wash basin mixer

### Holder/Issued to

## FM Mattsson Mora Group Danmark ApS

Hvidkærvej 48, 5250 Odense SV, Denmark

Organisation number: 56416218

Tel: +45 883 300 34

E-mail: [danmark@fmm-mora.com](mailto:danmark@fmm-mora.com), Web: [www.damixa.com](http://www.damixa.com)

### Product description

Damixa Silhouet 1-handle mixer for kitchen and wash basin. The swivel spout is limited to 120° and available with flexible spout. Model 74158--35 is made of DZR brass.

The mixers are supplied with flexible connection hoses that are covered by Swedish technical approval and has connection G 3/8". The kitchen mixers are available with or without shut off valve for dishwasher.

### Intended use

Single handle mixer intended for drinking water.

### Trade name

1-handle kitchen mixer,

Damixa Silhouet with dishwasher shut off, article number 74081--00.

Damixa Silhouet with dishwasher shut off, flexible outlet pipe article number 74158--00.

Damixa Silhouet with dishwasher shut off, flexible outlet pipe, article number 74158--35.

Damixa Silhouet, article number 74086--00.

Damixa Silhouet flexible outlet pipe, article number 74128--00.

1-handle wash basin mixer,

Damixa Silhouet High, Damixa no. 74620--00.

Damixa Silhouet Piccolo, Damixa no. 74730--00.

- Position 6 and 7 in the article number describes colour:

00 = chrome

21 = matt white

46 = steel

61 = matt black

77 = polished brass

79 = brushed brass

87 = brushed copper

## Approval

The product satisfies the requirements set forth in chapter 8, 4 § 3 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR):

Tap water installations	6:62, 1st sentence and 2nd paragraph and general recommendation
Tap water flow	6:623, 1st sentence
Design	6:625, 1st and 4th paragraph

## Associated documents

Installation instruction 12150.00 Damixa Silhouet, dated 08.21.  
Installation instruction 20182.00 Damixa Silhouet, dated 08.21.  
User instruction Damixa, version 12.06 - 12676.00.

## Control

The factory production control (FPC) is monitored by an independent inspection body.  
Control plan: Ref no. 210-17-0103 dated 2020-09-10, Inspection body: RISE.

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

## Manufacturing place

Production control includes the following place:  
FM Mattsson Mora Group Danmark ApS Odense and production site 912350.

## Marking

The products are to be marked at the factory. The marking consists of text on every product and packing supplied and includes:

Distributor*	Damixa
Product type designation	<i>see trade name</i>
Consecutive date of production*	<i>date</i>
Type approval number	SC0242-18
Boverket's registered trade mark	
RISE Accreditation number	1002
Certification- and inspection body	RISE

\*text on mixer

## Basis for approval

Reports 7P04475-18A and 7P04475E from RISE.  
Reports SBF2015F0290 and 201700642 from SINTEF.  
Reports 57214216-1 and 7310406-01 from LGA,.

## Comments

The mixer is approved in accordance with SS-EN 817.

Classification of sound properties has been approved in accordance with EN ISO 3822.

Group 1: max 20dB (A) Lap at 0,3 MPa.

Group 2: max 30dB (A) Lap at 0,3 MPa.

Group 3: not classified.

The mixers is classified in group 1.

Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2021-02-10.

## Validity

Valid through 2023-03-25.

Validity of this type approval can be verified on our website.

The validity of this type approval expires when the type approved product with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Ronald Green

*This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence*